Safety data sheet

This SDS is an English translation of Regulation (EU) no 2015/830, without any country-specific legislation

DIX - Gel - drain opener

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: DIX Drain opener

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Cleaner

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

GOLD DROP Sp. z o.o. Ul. Rzeczna 11d

34-600 LIMANOWA - Poland

Phone.: +48 18 3376137 - Fax: +48 18 3376117

msds@golddrop.com.pl www.golddrop.eu

1.4 Emergency telephone number: PL Emergency Telephone number: +48 12 4119999 , Toxicological Information Centre,

Jagiellonian University Medical College Cracow; Centre of Emergency Notification 112

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Dam. 1: Serious eye damage, Category 1, H318 Skin Corr. 1: Skin corrosion, Category 1, H314

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Dange



Hazard statements:

H314 - Causes severe skin burns and eye damage

Precautionary statements:

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing

 $P305 + P351 + P338: IF\ IN\ EYES:\ Rinse\ cautiously\ with\ water\ for\ several\ minutes.\ Remove\ contact\ lenses,\ if\ present\ and\ easy\ to\ do.$

Continue rinsing

P310: Immediately call a poison center/doctor

P405: Store locked up

P501: Dispose of contents/container according to the separated collection system used in your municipality

Substances that contribute to the classification

sodium hydroxide; N,N-dimethyltetradecylamine N-oxide

Additional labeling:

Read label before use

Do not breathe vapors

Wash hands thoroughly after use

Wear protective gloves, eye protection

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

High pH value

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Date of compilation: 09/09/2003 Revised: 16/01/2019 Version: 14 (Replaced 13) page 1/10

Chemical description: Aqueous mixture composed of sodium compound

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| | Identification | Chemical name/Classification | | | |
|-------------------------|--|------------------------------|--|-----------------|-----------|
| CAS: EC: | 1310-73-2 215-185-5 | sodium hydroxide(1) | | ATP CLP00 | 5 - <10 % |
| Index: REACH: | 011-002-00-6 01-2119457892-27-XXXX | Regulation 1272/2008 | Skin Corr. 1A: H314 - Danger | ₽ | 3- <10 % |
| CAS: | | N,N-dimethyltetradecyla | mine N-oxide(1) | Self-classified | |
| EC: Index: REACH: | 222-059-3 Non-applicable 01-2119949262-37-XXXX | Regulation 1272/2008 | Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger | | 1 - <3 % |
| CAS: | | Sodium N-lauroylsarcosii | nate(1) | Self-classified | |
| EC: Index: REACH: | 205-281-5 Non-applicable 01-2119527780-39-XXXX | Regulation 1272/2008 | Acute Tox. 2: H330; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger | ♦ | <1 % |

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

| Identification | Specific concentration limit |
|---|--|
| sodium hydroxide CAS: 1310-73-2 EC: 215-185-5 | % (w/w) >=5: Skin Corr. 1A - H314 2<= % (w/w) <5: Skin Corr. 1B - H314 0,5<= % (w/w) <2: Skin Irrit. 2 - H315 % (w/w) >=2: Eye Dam. 1 - H318 0,5<= % (w/w) <2: Eye Irrit. 2 - H319 |
| Sodium N-lauroylsarcosinate CAS: 137-16-6 EC: 205-281-5 | % (w/w) >=30: Skin Irrit. 2 - H315 % (w/w) >=30: Eye Dam. 1 - H318 1<= % (w/w) <30: Eye Irrit. 2 - H319 |

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Provide medical attention immediately

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

Date of compilation: 09/09/2003 Revised: 16/01/2019 Version: 14 (Replaced 13) page 2/10

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an adueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

Maximum time: 36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

Other information:

Dry room with a well-functioning ventilation out of direct sunlight

Store in original, closed manufacturer's containers. Keep away from acid household chemicals and food

7.3 Specific end use(s):

The preparation is to be used for unblocking outlet pipes, traps, in blocked sinks, washbasins and bathtubs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no occupational exposure limits for the substances contained in the product

DNEL (Workers):

Date of compilation: 09/09/2003 Revised: 16/01/2019 Version: 14 (Replaced 13) page 3/10

| Short exposure | | Long exposure | | | |
|-------------------------------------|------------|----------------|----------------|-------------------------|----------------|
| Identification | | Systemic | Local | Systemic | Local |
| sodium hydroxide | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 1310-73-2 | Dermal | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| EC: 215-185-5 | Inhalation | Non-applicable | Non-applicable | Non-applicable | 1 mg/m³ |
| N,N-dimethyltetradecylamine N-oxide | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 3332-27-2 | Dermal | Non-applicable | Non-applicable | 11 mg/kg | Non-applicable |
| EC: 222-059-3 | Inhalation | Non-applicable | Non-applicable | 6,2 mg/m ³ | Non-applicable |
| Sodium N-lauroylsarcosinate | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 137-16-6 | Dermal | Non-applicable | Non-applicable | 20 mg/kg | Non-applicable |
| EC: 205-281-5 | Inhalation | Non-applicable | Non-applicable | 70,53 mg/m ³ | Non-applicable |

DNEL (General population):

| | | Short | exposure | Long | g exposure |
|-------------------------------------|------------|----------------|----------------|-------------------------|----------------|
| Identification | | Systemic | Local | Systemic | Local |
| sodium hydroxide | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 1310-73-2 | Dermal | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| EC: 215-185-5 | Inhalation | Non-applicable | Non-applicable | Non-applicable | 1 mg/m³ |
| N,N-dimethyltetradecylamine N-oxide | Oral | Non-applicable | Non-applicable | 0,44 mg/kg | Non-applicable |
| CAS: 3332-27-2 | Dermal | Non-applicable | Non-applicable | 5,5 mg/kg | Non-applicable |
| EC: 222-059-3 | Inhalation | Non-applicable | Non-applicable | 1,53 mg/m ³ | Non-applicable |
| Sodium N-lauroylsarcosinate | Oral | Non-applicable | Non-applicable | 10 mg/kg | Non-applicable |
| CAS: 137-16-6 | Dermal | Non-applicable | Non-applicable | 10 mg/kg | Non-applicable |
| EC: 205-281-5 | Inhalation | Non-applicable | Non-applicable | 17,39 mg/m ³ | Non-applicable |

PNEC:

| Identification | | | | |
|-------------------------------------|--------------|----------------|-------------------------|-------------|
| N,N-dimethyltetradecylamine N-oxide | STP | 24 mg/L | Fresh water | 0,034 mg/L |
| CAS: 3332-27-2 | Soil | 1,02 mg/kg | Marine water | 0,003 mg/L |
| EC: 222-059-3 | Intermittent | 0,034 mg/L | Sediment (Fresh water) | 5,24 mg/kg |
| | Oral | 0,0111 g/kg | Sediment (Marine water) | 0,524 mg/kg |
| Sodium N-lauroylsarcosinate | STP | 3 mg/L | Fresh water | 0,009 mg/L |
| CAS: 137-16-6 | Soil | 0,008 mg/kg | Marine water | 0,001 mg/L |
| EC: 205-281-5 | Intermittent | 0,089 mg/L | Sediment (Fresh water) | 0,064 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0,006 mg/kg |

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Wear protective gloves

D.- Ocular and facial protection

Wear eye protection and face in an emergency skin and eye contact

E.- Body protection

Non-applicable

F.- Additional emergency measures

It is not necessary to take additional emergency measures.

If recommended risk controls and operational conditions are complied with, it is expected that exposure will not exceed the projected DNEL values and the expected resulting risk characteristic ratios will be less than 1.

In the post of production - the required position rinsed eyes, shower.

While working on the manufacturing floor, the use full protective clothing made of sodium hydroxide lye-resistant materials is required

Wear protective gloves resistant to the action of sodium hydroxide (nitrile rubber, 0,11mm thickness, breakthrough time >480 min.

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

Date of compilation: 09/09/2003 Revised: 16/01/2019 Version: 14 (Replaced 13) page 4/10

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply): 0 % weight
V.O.C. density at 20 °C: 0 kg/m³ (0 g/L)
Average carbon number: Non-applicable
Average molecular weight: Non-applicable

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C:

Appearance:

Colour:

Colour:

Characteristic

Odour threshold:

Liquid

Transparent

Colourless

Characteristic

Non-applicable *

Volatility:

Boiling point at atmospheric pressure: 100 °C

Vapour pressure at 20 °C: Non-applicable *

Vapour pressure at 50 °C: 12381,01 Pa (12,38 kPa)

Evaporation rate at 20 °C: Non-applicable *

Product description:

Density at 20 °C:

Relative density at 20 °C:

1,058 - 1,082 g/cm3

Dynamic viscosity at 20 °C:

Kinematic viscosity at 20 °C:

Kinematic viscosity at 40 °C:

Concentration:

PH:

Non-applicable *

Non-applicable *

Non-applicable *

12 - 14

Vapour density at 20 °C:

Partition coefficient n-octanol/water 20 °C:

Non-applicable *

Solubility in water at 20 °C:

Non-applicable *

Solubility properties:

Highly water-soluble

Decomposition temperature:

Non-applicable *

Melting point/freezing point:

Explosive properties:

Non-applicable *

Non-applicable *

Flammability:

Oxidising properties:

Flash Point: Non Flammable (>60 °C)

Flammability (solid, gas):

Autoignition temperature:

Lower flammability limit:

Upper flammability limit:

Non-applicable *

Non-applicable *

Non-applicable *

Explosive:

Lower explosive limit:

Upper explosive limit:

Non-applicable *

Non-applicable *

9.2 Other information:

Surface tension at 20 °C:

Refraction index:

Non-applicable *

Non-applicable *

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Date of compilation: 09/09/2003 Revised: 16/01/2019 Version: 14 (Replaced 13) page 5/10

Non-applicable *

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight | Humidity |
|--------------------|------------------|-------------------------|----------------|----------------|
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |

10.5 Incompatible materials:

| Acids | Water | Oxidising materials | Combustible materials | Others |
|--------------------|----------------|---------------------|-----------------------|----------------|
| Avoid strong acids | Not applicable | Precaution | Not applicable | Not applicable |

Do not use on surfaces that are damaged or sensitive to acids, such as aluminium, marble, enamel

Do not use on surfaces made of aluminum, copper and their alloys and heated glass fireplace

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.
- B- Inhalation (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.
 - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.

IARC: Non-applicable

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
 - Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

H- Aspiration hazard:

Date of compilation: 09/09/2003 Revised: 16/01/2019 Version: 14 (Replaced 13) page 6/10

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Other information:

Sodium hydroxide causes severe burns and even tissue necrosis, irreversible eye damage may cause dermatitis, atrophic changes in the mucosa of the upper respiratory tract can cause chemical pneumonia.

Ingestion causes severe burns, damage to the digestive system. Wounds caused by sodium hydroxide is very difficult to heal The wounds caused by burns heal very difficult and give rise to major changes in the skin

Sodium hydroxide is corrosive to the respiratory tract

Oxide, myristyl - Strong irritant with the danger of serious damage to eyes

Specific toxicology information on the substances:

| Identification | Acute t | Genus | |
|-------------------------------------|-----------------|-----------------------|-----|
| N,N-dimethyltetradecylamine N-oxide | LD50 oral | 1495 mg/kg | Rat |
| CAS: 3332-27-2 | LD50 dermal | Non-applicable | |
| EC: 222-059-3 | LC50 inhalation | Non-applicable | |
| Sodium N-lauroylsarcosinate | LD50 oral | 5500 mg/kg | Rat |
| CAS: 137-16-6 | LD50 dermal | Non-applicable | |
| EC: 205-281-5 | LC50 inhalation | 0,5 mg/L (4 h) (ATEi) | |

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

| Identification | | Acute toxicity | Species | Genus |
|-------------------------------------|------|------------------|---------------------------|------------|
| sodium hydroxide | LC50 | 189 mg/L (48 h) | Leuciscus idus | Fish |
| CAS: 1310-73-2 | EC50 | 33 mg/L | Crangon crangon | Crustacean |
| EC: 215-185-5 | EC50 | Non-applicable | | |
| N,N-dimethyltetradecylamine N-oxide | LC50 | 10.3 mg/L (96 h) | Brachydanio rerio | Fish |
| CAS: 3332-27-2 | EC50 | 11.1 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 222-059-3 | EC50 | 0.81 mg/L (72 h) | Selenastrum capricornutum | Algae |

12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

| Identification | Absorption | Absorption/desorption | | olatility |
|-------------------------------------|-----------------|-----------------------|------------|------------------|
| N,N-dimethyltetradecylamine N-oxide | Koc | 222.5 | Henry | 1,8E-8 Pa·m³/mol |
| CAS: 3332-27-2 | Conclusion | Moderate | Dry soil | No |
| EC: 222-059-3 | Surface tension | 3,24E-2 N/m (21 °C) | Moist soil | No |

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

May pose a threat to the biological treatment - the value with high pH

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

| Code | Description | Waste class (Regulation (EU) No 1357/2014) |
|-----------|--|---|
| 20 01 29* | detergents containing hazardous substances | Dangerous |

Type of waste (Regulation (EU) No 1357/2014):

HP6 Acute Toxicity, HP8 Corrosive

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

Date of compilation: 09/09/2003 Revised: 16/01/2019 Version: 14 (Replaced 13) page 7/10

SECTION 14: TRANSPORT INFORMATION

Transportation of the arts on the basis of the exemption is not subject to ADR: Packing: up to 1 liter placed on trays obciągniętych shrinkwrap. The maximum gross weight content and multi-packs - 12 liters and 20 kg. In other packages - product subject to ADR

Transport of dangerous goods by land:

With regard to ADR 2019 and RID 2019:



14.1 UN number: UN1824

14.2 UN proper shipping name: SODIUM HYDROXIDE SOLUTION

L4.3 Transport hazard class(es): 8
Labels: 8

14.4 Packing group: II **14.5 Environmental hazards:** No

14.6 Special precautions for user

Special regulations: Non-applicable

Tunnel restriction code: E

Physico-Chemical properties: see section 9 Limited quantities: 1 L

14.7 Transport in bulk according to Non-applicable Annex II of Marpol and the IBC

Code:

Transport of dangerous goods by sea:

With regard to IMDG 39-18:

14.1 UN number: UN1824

14.2 UN proper shipping name: SODIUM HYDROXIDE SOLUTION

 14.3
 Transport hazard class(es):
 8

 Labels:
 8

 14.4
 Packing group:
 II

14.5 Environmental hazards: No

14.6 Special precautions for user

Special regulations:

EmS Codes:

Physico-Chemical properties:

Limited quantities:

Segregation group:

Non-applicable
F-A, S-B
see section 9

1 L
Segregation group:

SGG18

14.7 Transport in bulk according to Non-applicable Annex II of Marpol and the IBC

Code:

Transport of dangerous goods by air:

With regard to IATA/ICAO 2020:



14.1 UN number: UN1824

14.2 UN proper shipping name: SODIUM HYDROXIDE SOLUTION

 14.3
 Transport hazard class(es):
 8

 Labels:
 8

 14.4
 Packing group:
 II

 14.5
 Environmental hazards:
 No

14.6 Special precautions for user

Physico-Chemical properties: see section 9 **Transport in bulk according to** Non-applicable

Annex II of Marpol and the IBC

Code:

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) $n^{o}648/2004$ on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Date of compilation: 09/09/2003 Revised: 16/01/2019 Version: 14 (Replaced 13) page 8/10

Labelling for contents:

| Component | Concentration interval |
|----------------------|------------------------|
| Anionic surfactants | % (w/w) < 5 |
| Nonionic surfactants | % (w/w) < 5 |

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H314: Causes severe skin burns and eye damage

H318: Causes serious eye damage

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 2: H330 - Fatal if inhaled

Acute Tox. 4: H302 - Harmful if swallowed

Aquatic Acute 1: H400 - Very toxic to aquatic life

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects

Eye Dam. 1: H318 - Causes serious eye damage

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage

Skin Irrit. 2: H315 - Causes skin irritation

Classification procedure:

Eye Dam. 1: Calculation method

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:

Date of compilation: 09/09/2003 Revised: 16/01/2019 Version: 14 (Replaced 13) page 9/10

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

Other information:

CLASSIFICATION OF A method of calculation based on contained substances and their concentration limits

Safety Data Sheet No CZ-9GD

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those

Date of compilation: 09/09/2003 Revised: 16/01/2019 Version: 14 (Replaced 13) page 10/10