Safety data sheet

This SDS is an English translation of Regulation (EU) no 2015/830, without any country-specific legislation

GOLD DROP - Multi-purpose cleaning and disinfecting liquid

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: GOLD DROP - Multi-purpose cleaning and disinfecting liquid

Other means of identification:

Decision number Approvals marketing biocidal product in Poland 7402/2018

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Disinfectant cleaner

PT1 Gr. 2,4

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

GOLD DROP Sp. z o.o. Ul. Rzeczna 11d

34-600 LIMANOWA - POLAND

Phone.: +48 18 3376137 - Fax: +48 18 3376117

msds@golddrop.eu www.golddrop.eu

1.4 Emergency telephone number: PL Emergency Telephone number: +48 12 4119999 , Toxicological Information Centre,

Jagiellonian University Medical College Cracow; Centre of Emergency Notification 112

SECTION 2: HAZARDS IDENTIFICATION **

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412

Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Warning



Hazard statements:

H412 - Harmful to aquatic life with long lasting effects.

H319 - Causes serious eye irritation.

H315 - Causes skin irritation.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P280: Wear protective gloves/eye protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352: IF ON SKIN: Wash with plenty of water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

Date of compilation: 14/10/2018 Revised: 02/04/2019 Version: 2 (Replaced 1) Page 1/10

^{**} Changes with regards to the previous version

3.2 Mixture:

Chemical description: Aqueous mixture composed of chemical products for cleaning products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| | Identification | Chemical name/Classification | | | |
|-------------------------|--|------------------------------|--|-----------------|----------|
| CAS: EC: | Non-applicable 931-513-6 | | ino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even hydroxides, inner salts ⁽¹⁾ | Self-classified | |
| Index: REACH: | Non-applicable 01-2119513359-38-XXXX | Regulation 1272/2008 | Aquatic Chronic 3: H412; Eye Dam. 1: H318 - Danger | ₹ ₽ | 1 - <3 % |
| CAS: | 7173-51-5 | Didecyldimethylammoniu | | ATP CLP00 | |
| EC: Index: REACH: | 230-525-2 612-131-00-6 01-2119945987-15-XXXX | Regulation 1272/2008 | Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Corr. 1B: H314 - Danger | Skin (1) 🔁 🐿 | 1 - <3 % |

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

| Didecyldimethylammonium chloride CAS: 7173-51-5 EC: 230-525-2 Chronic 10 | | Identification | | | | M-factor |
|---|----------------------|----------------|--|--|---------|----------|
| CAS: 7173-51-5 EC: 230-525-2 Chronic 10 | Didecyldimethylammon | ium chloride | | | Acute | 10 |
| | CAS: 7173-51-5 | EC: 230-525-2 | | | Chronic | 10 |

| Identification | Specific concentration limit |
|--|--------------------------------------|
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) | acyl) |
| derivs., hydroxides, inner salts | % (w/w) >=10: Eye Dam. 1 - H318 |
| CAS: Non-applicable | 4<= % (w/w) <10: Eye Irrit. 2 - H319 |
| EC: 931-513-6 | |

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as guickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

Direct and indirect side effects of using the product: in case of long-term contact: with the skin - skin irritation may occur; with eyes - there may be irritation, redness, tearing. Swallowing a significant dose of the product may cause throat irritation, abdominal pain, dizziness and vomiting.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Date of compilation: 14/10/2018 Revised: 02/04/2019 Version: 2 (Replaced 1) Page 2/10

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

Other information:

Date of compilation: 14/10/2018 Revised: 02/04/2019 Version: 2 (Replaced 1) Page 3/10

Store in a dry, well ventilated place, away from direct sunlight. Store in original, closed packages.

7.3 Specific end use(s):

The multi-purpose cleaning and disinfecting liquid effectively cleans and disinfects wooden, lacquered, ceramic and plastic (incl. PVC) surfaces, as well as walls, tiles and panels. Shows bactericidal and fungicidal properties when undiluted.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no occupational exposure limits for the substances contained in the product

DNEL (Workers):

| | | Short exposure | | Long exposure | |
|---|------------|----------------|----------------|------------------------|----------------|
| Identification | | Systemic | Local | Systemic | Local |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: Non-applicable | Dermal | Non-applicable | Non-applicable | 12,5 mg/kg | Non-applicable |
| EC: 931-513-6 | Inhalation | Non-applicable | Non-applicable | 44 mg/m³ | Non-applicable |
| Didecyldimethylammonium chloride | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 7173-51-5 | Dermal | Non-applicable | Non-applicable | 8,6 mg/kg | Non-applicable |
| EC: 230-525-2 | Inhalation | Non-applicable | Non-applicable | 18,2 mg/m ³ | Non-applicable |

DNEL (General population):

| | | Short exposure | | Long exposure | |
|---|------------|----------------|----------------|-------------------------|----------------|
| Identification | | Systemic | Local | Systemic | Local |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts | Oral | Non-applicable | Non-applicable | 7,5 mg/kg | Non-applicable |
| CAS: Non-applicable | Dermal | Non-applicable | Non-applicable | 7,5 mg/kg | Non-applicable |
| EC: 931-513-6 | Inhalation | Non-applicable | Non-applicable | 13,04 mg/m ³ | Non-applicable |

PNEC:

| Identification | | | | |
|---|--------------|----------------|-------------------------|-------------|
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts | STP | 3000 mg/L | Fresh water | 0,013 mg/L |
| CAS: Non-applicable | Soil | 0,8 mg/kg | Marine water | 0,001 mg/L |
| EC: 931-513-6 | Intermittent | Non-applicable | Sediment (Fresh water) | 11,7 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 1,17 mg/kg |
| Didecyldimethylammonium chloride | STP | 0,595 mg/L | Fresh water | 0,002 mg/L |
| CAS: 7173-51-5 | Soil | 1,4 mg/kg | Marine water | 0,0002 mg/L |
| EC: 230-525-2 | Intermittent | 0,00029 mg/L | Sediment (Fresh water) | 2,82 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0,28 mg/kg |

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Protective gloves recommended

D.- Ocular and facial protection

Use protective goggles whenever there is a risk of eye contamination

E.- Body protection

Non-applicable

F.- Additional emergency measures

It is not necessary to take additional emergency measures.

Date of compilation: 14/10/2018 Revised: 02/04/2019 Version: 2 (Replaced 1) Page 4/10

For didecyldimethylammonium chloride: wear nitrile protective gloves, 0.4 mm thick; degradation time: 480 min.; permeation level 6

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply): 0,67 % weight V.O.C. density at 20 °C: Non-applicable

Average carbon number: 4,75

Average molecular weight: 83,07 g/mol

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C:

Appearance:

Colour:

Codour:

Characteristic

Odour threshold:

Liquid

Transparent

Greenish

Characteristic

Non-applicable *

Volatility:

Boiling point at atmospheric pressure: 100 °C

Vapour pressure at 20 °C: Non-applicable *

Vapour pressure at 50 °C: 12398,26 Pa (12,4 kPa)

Evaporation rate at 20 °C: Non-applicable *

Product description:

Density at 20 °C:

Relative density at 20 °C:

O,994 - 1,002 g/cm3

Dynamic viscosity at 20 °C:

Kinematic viscosity at 20 °C:

Non-applicable *

Kinematic viscosity at 40 °C:

Non-applicable *

Concentration:

PH:

Non-applicable *

S,5 - 7,5

Vapour density at 20 °C:

Non-applicable *

Partition coefficient n-octanol/water 20 °C:

Non-applicable *

Solubility in water at 20 °C:

Solubility properties: Highly water-soluble Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Explosive properties: Non-applicable * Oxidising properties: Non-applicable *

Flammability:

Flash Point: Non Flammable (>60 °C)

Heat of combustion:

Flammability (solid, gas):

Non-applicable *

Non-applicable *

Autoignition temperature: 225 °C

Lower flammability limit: Non-applicable *
Upper flammability limit: Non-applicable *

Explosive:

Lower explosive limit:

Upper explosive limit:

Non-applicable *

Non-applicable *

9.2 Other information:

Surface tension at 20 °C: Non-applicable *

Date of compilation: 14/10/2018 Revised: 02/04/2019 Version: 2 (Replaced 1) Page 5/10

Refraction index:

Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight | Humidity |
|--------------------|------------------|-------------------------|----------------|----------------|
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |

10.5 Incompatible materials:

| Acids | Water | Oxidising materials | Combustible materials | Others |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Precaution | Not applicable | Avoid alkalis or strong bases |

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.

IARC: propan-2-ol (3); d-limonene (3)

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
 - Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Date of compilation: 14/10/2018 Revised: 02/04/2019 Version: 2 (Replaced 1) Page 6/10

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

| Identification | Acut | Genus | |
|---|-----------------|----------------|-----|
| Didecyldimethylammonium chloride | LD50 oral | 500 mg/kg | Rat |
| CAS: 7173-51-5 | LD50 dermal | Non-applicable | |
| EC: 230-525-2 | LC50 inhalation | Non-applicable | |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts | LD50 oral | 2430 mg/kg | Rat |
| CAS: Non-applicable | LD50 dermal | Non-applicable | |
| EC: 931-513-6 | LC50 inhalation | Non-applicable | |

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

| Identification | | Acute toxicity | Species | Genus |
|---|------|-----------------------|---------------------|------------|
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts | LC50 | >10 - 100 mg/L (96 h) | | Fish |
| CAS: Non-applicable | EC50 | >10 - 100 mg/L (48 h) | | Crustacean |
| EC: 931-513-6 | EC50 | >10 - 100 mg/L (72 h) | | Algae |
| Didecyldimethylammonium chloride | LC50 | 0.33 mg/L (96 h) | Pimephales promelas | Fish |
| CAS: 7173-51-5 | EC50 | 0.06 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 230-525-2 | EC50 | Non-applicable | | |

12.2 Persistence and degradability:

| Identification | Degradal | bility | Biodegra | dability |
|----------------------------------|----------|----------------|-----------------|----------|
| Didecyldimethylammonium chloride | BOD5 | Non-applicable | Concentration | 100 mg/L |
| CAS: 7173-51-5 | COD | Non-applicable | Period | 28 days |
| EC: 230-525-2 | BOD5/COD | Non-applicable | % Biodegradable | 80 % |

12.3 Bioaccumulative potential:

| Identification | | accumulation potential |
|----------------------------------|-----------|------------------------|
| Didecyldimethylammonium chloride | BCF | 81 |
| CAS: 7173-51-5 | Pow Log | 4.66 |
| EC: 230-525-2 | Potential | Moderate |

12.4 Mobility in soil:

| Identification | Absorption/desorption | | Volatility | |
|----------------------------------|-----------------------|----------------|------------|----------------|
| Didecyldimethylammonium chloride | Кос | 440000 | Henry | Non-applicable |
| CAS: 7173-51-5 | Conclusion | Immobile | Dry soil | Non-applicable |
| EC: 230-525-2 | Surface tension | Non-applicable | Moist soil | Non-applicable |

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

| Code | Description | Waste class (Regulation (EU) No 1357/2014) |
|-----------|--|---|
| 20 01 29* | detergents containing hazardous substances | Dangerous |

Date of compilation: 14/10/2018 Revised: 02/04/2019 Version: 2 (Replaced 1) Page 7/10

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Avoid release to the environment.

Thoroughly emptied and rinsed packaging is subject to the municipal waste collection system. Any small liquid residues after dilution should be treated as municipal waste. If disposal is necessary, please contact a licensed waste disposal facility for service or advice.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

14.1 UN number: Non-applicable
 14.2 UN proper shipping name: Non-applicable
 14.3 Transport hazard class(es): Non-applicable
 Labels: Non-applicable
 14.4 Packing group: Non-applicable

14.5 Environmental hazards: No

14.6 Special precautions for user

Special regulations: Non-applicable
Tunnel restriction code: Non-applicable
Physico-Chemical properties: see section 9
Limited quantities: Non-applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code: Non-applicable

Transport of dangerous goods by sea:

With regard to IMDG 39-18:

14.1 UN number: Non-applicable
 14.2 UN proper shipping name: Non-applicable
 14.3 Transport hazard class(es): Non-applicable
 Labels: Non-applicable
 14.4 Packing group: Non-applicable
 14.5 Marine pollutant: No

14.6 Special precautions for user

Special regulations: Non-applicable

EmS Codes:

Physico-Chemical properties: see section 9
Limited quantities: Non-applicable
Segregation group: Non-applicable
Transport in bulk according to

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:

Non-applicable

Transport of dangerous goods by air:

With regard to IATA/ICAO 2021:

Code:

14.1UN number:Non-applicable14.2UN proper shipping name:Non-applicable14.3Transport hazard class(es):
Labels:Non-applicable14.4Packing group:Non-applicable14.5Environmental hazards:No

14.6 Special precautions for user

Physico-Chemical properties: see section 9

14.7 Transport in bulk according to Non-applicable Annex II of Marpol and the IBC

Date of compilation: 14/10/2018 Revised: 02/04/2019 Version: 2 (Replaced 1) Page 8/10

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Composition of the active ingredients (Regulation (EU) No 528/2012): Didecyldimethylammonium chloride (1%); propan-2-ol (0.5%)

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Didecyldimethylammonium chloride (Product-type 1, 2, 3, 4, 6, 8, 10, 11, 12)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Contains Didecyldimethylammonium chloride

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) $n^{o}648/2004$ on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Labelling for contents:

| Component | Concentration interval |
|------------------------|------------------------|
| Amphoteric surfactants | % (w/w) < 5 |
| perfumes | |

Allergenic fragrances: d-limonene (LIMONENE).

Preservation agents: Didecyldimethylammonium chloride (DIDECYLDIMONIUM CHLORIDE).

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

- —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- —tricks and jokes,
- —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

· Precautionary statements

Texts of the legislative phrases mentioned in section 2:

H315: Causes skin irritation.

H412: Harmful to aquatic life with long lasting effects.

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Date of compilation: 14/10/2018 Revised: 02/04/2019 Version: 2 (Replaced 1) Page 9/10

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Classification procedure:

Skin Irrit. 2: Calculation method Aquatic Chronic 3: Calculation method Eye Irrit. 2: Calculation method

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code IATA: International Air Transport Association

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

ICAO: International Civil Aviation Organisation

BCF: Bioconcentration factor LD50: Lethal Dose 50

LC50: Lethal Concentration 50 EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

Other information:

Classification – the calculation method based on the content of substances and their classification.

Fișe cu date de securitate No DZ-22GD

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

Date of compilation: 14/10/2018 Revised: 02/04/2019 Version: 2 (Replaced 1) Page 10/10